

October Forecast Update for Australian-Region Tropical Storm Activity in 2004/5

Issued: 6th October 2004

by Drs Adam Lea and Mark Saunders Benfield Hazard Research Centre, UCL (University College London), UK

Forecast Summary

TSR continues to anticipate the 2004/5 Australian season will see below average activity.

The TSR (Tropical Storm Risk) early October forecast update for Australian-region tropical cyclone activity continues to anticipate a below average season for 2004/5. Indeed TSR has further reduced its forecast this month. The forecast spans the Australian season from the 1st November 2004 to the 30th April 2005 and is based on data available through the end of September 2004. The TSR predictor for Australian-region total numbers is the forecast anomaly in October-November Niño 4 sea surface temperatures (SST) which is anticipated to be warmer than normal at 1.09±0.16°C. The TSR predictor for Australian landfalling numbers is the forecast anomaly in December-March SST for the extended ENSO region 5°N-5°S, 120°W-177.5°W which is anticipated to be warmer than normal at 0.70±0.34°C. Monthly updated forecasts will continue to early December 2004. Appendices give the TSR predictions from previous months.

Australian Region Total Numbers Forecast for 2004/5

				Severe Tropical Cyclones	Tropical Storms	
	TSR Forecast (±FE)		2004/5	3.9 (±1.5)	7.0 (±2.9)	
	29yr Climate Norm (±SD)		1975/6-2003/4	$5.8 (\pm 2.4)$	10.7 (±3.7)	
	Forecast Skill at this I	Lead	1989/90-2003/4	14%	53%	
Key:	Severe Tropical Cyclone	=	1 Minute Sustained Wind > 63Kts = Hurricane Category 1 to 5.			
	Tropical Storm SD	=	1 Minute Sustained Wind : Standard Deviation.	> 33Kts.		
	FE (Forecast Error)	=	~	ors in Replicated Real Time	Forecasts 1994/5-2003/4	
	Forecast Skill	=	Percentage Improvement i		Running 10-year Prior Climate	
	<u> </u>			E to 170°E (Storm Must Fo		

- Very severe tropical cyclones (hurricane category 3-5) are not forecast due to data reliability problems in the historical record.
- Our Australian region (100°E to 170°E), while slightly non-standard, is selected to provide the best overview for tropical cyclone activity around the whole of Australia.

There is only a 5% probability that Australian tropical storm numbers in 2004/5 will be above-average (defined as more than 12 tropical storms), a 20% likelihood they will be near-average (defined as between 9 and 12 tropical storms) and a 75% chance they will be below-average (defined as less than 9 tropical storms). The 1975/6-2003/4 climatology probabilities for each category are 31% (above-normal), 34.5% (near-normal) and 34.5% (below-normal).

1

Australian Landfalling Numbers in 2004/5

		Storms
TSR Forecast (±FE)	2004/5	4.0 (±1.8)
Average (±SD)	1975/6-2003/4	4.7 (±2.2)
Forecast Skill at this Lead	1989/90-2003/4	23%

Key: Landfalling Region = Northern Australian coast from Perth around to Brisbane.

• Severe tropical cyclone strikes are not forecast due to their low occurrence rate and to their lack of correlation with tropical storm strike numbers.

There is a 14% probability that Australian tropical storm strike numbers in 2004/5 will be above average (defined as more than 5 landfalling tropical storms), a 57% likelihood they will be near normal (defined as 4 or 5 landfalling tropical storms) and a 29% chance they will be below normal (defined as less than 4 landfalling tropical storms). The 1975/6-2003/4 climatology probabilities for each category are 28% (above-normal), 41% (near-normal) and 31% (below-normal).

Key Predictors for 2004/5

The key factor behind our forecast for Australian-region tropical storm activity in 2004/5 being below average is the anticipated supressing effect of above average early austral summer SSTs in the Niño 4 region. Above average SSTs in this region lead to above average atmospheric vertical wind shear over the Australian region during Austral summer; a condition favouring below average tropical storm activity. Our current forecast SST anomaly (1974/5-2003/4 climatology) for October-November 2004 Niño 4 SST is 1.09±0.16°C (up from 0.81±0.15°C last month). The forecast skill for this predictor is 92% (assessed using replicated real-time forecasts over the last 15 years). Our landfalling predictor (December 2004 - March 2005 forecast SST value for the extended ENSO region 5°N-5°S, 120°W-177.5°W) is anticipated to be 0.70±0.34°C (down from 0.76±0.34°C last month). The forecast skill for this predictor at this lead is 85%.

Further Information

Further information on the TSR forecast methodology and on TSR in general, may be obtained from the TSR website (http://tropicalstormrisk.com). The TSR next monthly forecast update for Australian-region tropical storm activity in 2004/5 will be issued on the 5th November 2004.

Appendix - Predictions from Previous Months

1. Australian Region Total Numbers

Australian Region Total Numbers 2004/5				
		Tropical Storms	Severe Tropical Cyclones	
Average Number (±SI	D) (1975/6-2003/4)	10.7 (±3.7)	5.8 (±2.4)	
	5 Oct 2004	7.0 (±2.9)	3.9 (±1.5)	
	6 Sep 2004	8.0 (±3.0)	4.3 (±1.5)	
	4 Aug 2004	8.6 (±3.1)	4.5 (±1.5)	
TSR Forecasts (±FE)	5 Jul 2004	9.7 (±2.7)	4.8 (±1.5)	
	4 Jun 2004	10.6 (±3.0)	5.2 (±1.6)	
	11 May 2004	11.0 (±3.4)	5.3 (±1.6)	
	6 Apr 2004	11.4 (±2.4)	5.5 (±1.5)	

2. Australian Landfalling Numbers

Australian Landfalling Numbers 2004/5					
		Tropical Storms			
Average Number (±SI	4.7 (±2.2)				
	5 Oct 2004	4.0 (±1.8)			
	6 Sep 2004	4.0 (±1.9)			
	4 Aug 2004	4.2 (±1.9)			
TSR Forecasts (±FE)	5 Jul 2004	4.4 (±1.9)			
	4 Jun 2004	4.4 (±1.8)			
	11 May 2004	4.5 (±1.8)			
	6 Apr 2004	5.0 (±1.9)			

